

News Report by Date
Conducted 6/1/2021 to 6/30/2021

122 Elm St. Tavern

122 Elm Street, Cheshire

6/16/2021 Score **99 Pass** Inspection Type: Pre-

55 Establishment and premises free of litter, no insects/rodents harborage, no unnecessary articles

CUMBERLAND FARMS -- #4775 - MAPLE AVE

626 Maple Avenue, Cheshire

6/3/2021 Score **85 Fail** Inspection Type: Pre-

-
- 34 No cross connection, back siphonage, backflow Automatic Failure
 - 4 Adequate facilities to maintain product temperature, thermometers provided
 - 24 Sanitization rinse(hot water-chemicals)
 - 26 Food contact surfaces of utensils & equipment clean
 - 30 Hot and cold water under pressure, provided as required
 - 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
 - 37 Proper fixtures provided, good repair,clean
 - 44 Floors;floor covering installed,constructed as required,good repair,clean

WALSH'S QUALITY MARKET

1786 Meriden Road, Wolcott

6/17/2021 Score **92 Fail** Inspection Type: Reinspection

-
- 13 Hand washing facilities provided Automatic Failure
 - 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
 - 32 Proper disposal of waste water
 - 44 Floors;floor covering installed,constructed as required,good repair,clean
 - 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.