

News Report by Date
Conducted 3/1/2021 to 3/31/2021

C V S Pharmacy - #2502

581 Highland Avenue, Cheshire

3/23/2021 Score **97 Pass** Inspection Type: Annual

-
- 26 Food contact surfaces of utensils & equipment clean
 - 27 Non-Food contact surfaces of utensils & equipment clean

C V S PHARMACY #1148

905 South Main Street, Cheshire

3/9/2021 Score **89 Pass** Inspection Type: Annual

-
- 8 Food containers stored off floor
 - 26 Food contact surfaces of utensils & equipment clean
 - 30 Hot and cold water under pressure, provided as required
 - 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
 - 33 Location, installation, maintenance
 - 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided
 - 44 Floors; floor covering installed, constructed as required, good repair, clean
 - 55 Establishment and premises free of litter, no insects/rodents harborage, no unnecessary articles

CHESHIRE COFFEE, LLC

200 Old Towne Road, Cheshire

3/31/2021 Score **84 Pass** Inspection Type: Quarterly

-
- 4 Adequate facilities to maintain product temperature, thermometers provided
 - 7 Food protected during storage, preparation, display, service and transportation.
 - 16 Food contact surfaces designed, constructed, maintained, installed, located
 - 24 Sanitization rinse(hot water-chemicals)
 - 26 Food contact surfaces of utensils & equipment clean
 - 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
 - 23 Accurate thermometers provided, dish basket, if used
 - 27 Non-Food contact surfaces of utensils & equipment clean
 - 28 Equipment/utensils, storage handling
 - 32 Proper disposal of waste water

News Report by Date
Conducted 3/1/2021 to 3/31/2021

38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided

CHESHIRE MOBIL

995 South Main Street, Cheshire

3/18/2021 Score **95 Pass** Inspection Type: Annual

- 8 Food containers stored off floor
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 25 Clean wiping cloths
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.

CHESHIRE PLACE RESTAURANT

532 W. Main Street, Cheshire

3/17/2021 Score **78 Fail** Inspection Type: Quarterly

- 3 Potentially hazardous food meets temp. reqs. during storage, prep., display, service & transportation Automatic Failure
- 4 Adequate facilities to maintain product temperature, thermometers provided
- 5 Potentially hazardous food properly thawed
- 7 Food protected during storage, preparation, display, service and transportation.
- 8 Food containers stored off floor
- 16 Food contact surfaces designed, constructed, maintained, installed, located
- 24 Sanitization rinse(hot water-chemicals)
- 30 Hot and cold water under pressure, provided as required
- 61 Designated Alternate Qualified Food Operator
- 62 Written Documentation of training program
- 10 Food dispensing utensils properly stored
- 25 Clean wiping cloths

Danny's Grill

605 Wolcott Road, Wolcott

3/11/2021 Score **93 Pass** Inspection Type: Quarterly

- 16 Food contact surfaces designed, constructed, maintained, installed, located
- 30 Hot and cold water under pressure, provided as required

News Report by Date
Conducted 3/1/2021 to 3/31/2021

- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 28 Equipment/utensils, storage handling
- 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided

DUNKIN DONUTS (Meriden Road)

1677 Meriden Road, Wolcott

3/16/2021 Score **92 Pass** Inspection Type: Semiannual

- 4 Adequate facilities to maintain product temperature, thermometers provided
- 18 Single service articles, storage, dispensing
- 24 Sanitization rinse(hot water-chemicals)
- 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided
- 51 Adequate lighting provided as required

El Cafesito Diner

1804 Meriden Road, Wolcott

3/24/2021 Score **77 Fail** Inspection Type: Quarterly

- 3 Potentially hazardous food meets temp. reqs. during storage,prep., display, service & transporation Automatic Failure
- 13 Hand washing facilities provided Automatic Failure
- 4 Adequate facilities to maintain product temperature, thermometers provided
- 7 Food protected during storage, preparation, display, service and transportation.
- 9 Handling of food minimized
- 15 Good hygienic practices, smoking restricted
- 26 Food contact surfaces of utensils & equipment clean
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 27 Non-Food contact surfaces of utensils & equipment clean
- 32 Proper disposal of waste water
- 44 Floors;floor covering installed,constructed as required,good repair,clean
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.

FITNESS XPRESS

1020 South Main Street, Cheshire

News Report by Date
Conducted 3/1/2021 to 3/31/2021

3/18/2021 Score **96 Pass** Inspection Type: Annual

- 26 Food contact surfaces of utensils & equipment clean
- 30 Hot and cold water under pressure, provided as required

HIGHLAND BOWL, LLC

1211 Highland Avenue, Cheshire

3/9/2021 Score **82 Fail** Inspection Type: Quarterly

- 3 Potentially hazardous food meets temp. reqs. during storage, prep., display, service & transportation Automatic Failure
- 4 Adequate facilities to maintain product temperature, thermometers provided
- 7 Food protected during storage, preparation, display, service and transportation.
- 8 Food containers stored off floor
- 15 Good hygienic practices, smoking restricted
- 18 Single service articles, storage, dispensing
- 26 Food contact surfaces of utensils & equipment clean
- 2 Original container, properly labeled
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 27 Non-Food contact surfaces of utensils & equipment clean
- 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided

3/30/2021 Score **92 Pass** Inspection Type: Reinspection

- 4 Adequate facilities to maintain product temperature, thermometers provided
- 7 Food protected during storage, preparation, display, service and transportation.
- 18 Single service articles, storage, dispensing
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 27 Non-Food contact surfaces of utensils & equipment clean

MCDONALD'S

850 South Main Street, Cheshire

3/23/2021 Score **91 Pass** Inspection Type: Semiannual

- 4 Adequate facilities to maintain product temperature, thermometers provided
- 18 Single service articles, storage, dispensing

News Report by Date
Conducted 3/1/2021 to 3/31/2021

- 61 Designated Alternate Qualified Food Operator
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 27 Non-Food contact surfaces of utensils & equipment clean
- 51 Adequate lighting provided as required

MICHAEL'S DELI

2 Town Center, Cheshire

3/5/2021 Score **90** **Fail** Inspection Type: Pre-

- 3 Potentially hazardous food meets temp. reqs. during storage,prep., display, service & transporation Automatic Failure
- 7 Food protected during storage, preparation, display, service and transportation.
- 26 Food contact surfaces of utensils & equipment clean
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 28 Equipment/utensils, storage handing

Nutmeg Farms CT LLC

1520 Wolcott Road, Wolcott

3/10/2021 Score **84** **Fail** Inspection Type: Quarterly

- 3 Potentially hazardous food meets temp. reqs. during storage,prep., display, service & transporation Automatic Failure
- 4 Adequate facilities to maintain product temperature, thermometers provided
- 7 Food protected during storage, preparation, display, service and transportation.
- 8 Food containers stored off floor
- 16 Food contact surfaces designed, constructed, maintained, installed, located
- 24 Sanitization rinse(hot water-chemicals)
- 2 Original container,properly labeled
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.
- 51 Adequate lighting provided as required

3/30/2021 Score **95** **Pass** Inspection Type: Reinspection

- 7 Food protected during storage, preparation, display, service and transportation.
- 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.

News Report by Date
Conducted 3/1/2021 to 3/31/2021

-
- 49 Walls, ceilings attached equipment, properly constructed, good repair, clean. Wall & ceiling surfaces as required.
 - 51 Adequate lighting provided as required
-

Olive & Henry Fine Foods

106 elm street unit A2, Cheshire

3/10/2021 Score **99 Pass** Inspection Type: Annual

- 28 Equipment/utensils, storage handling
-

PAT'S I G A

816 Wolcott Road, Wolcott

3/22/2021 Score **93 Pass** Inspection Type: Quarterly

- 26 Food contact surfaces of utensils & equipment clean
 - 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
 - 27 Non-Food contact surfaces of utensils & equipment clean
 - 28 Equipment/utensils, storage handling
 - 32 Proper disposal of waste water
 - 44 Floors;floor covering installed,constructed as required,good repair,clean
-

The Hangry Fork

2 North Street, Wolcott

3/12/2021 Score **90 Pass** Inspection Type: Quarterly

- 4 Adequate facilities to maintain product temperature, thermometers provided
 - 16 Food contact surfaces designed, constructed, maintained, installed, located
 - 24 Sanitization rinse(hot water-chemicals)
 - 62 Written Documentation of training program
 - 10 Food dispensing utensils properly stored
 - 28 Equipment/utensils, storage handling
-

THOMAS ICE CREAM

, Cheshire

3/25/2021 Score **99 Pass** Inspection Type: Annual

- 23 Accurate thermometers provided, dish basket, if used
-

VICTORIAN HOUSE RESTAURANT & TAVERN

226 Maple Avenue, Cheshire

News Report by Date
Conducted 3/1/2021 to 3/31/2021

3/2/2021 Score **76** **Fail** Inspection Type: Reinspection

- 60 Qualified Food Operator
 - 4 Adequate facilities to maintain product temperature, thermometers provided
 - 7 Food protected during storage, preparation, display, service and transportation.
 - 9 Handling of food minimized
 - 16 Food contact surfaces designed, constructed, maintained, installed, located
 - 20 Dishwashing facilities approved design, adequately constructed, maintained, installed, located
 - 30 Hot and cold water under pressure, provided as required
 - 61 Designated Alternate Qualified Food Operator
 - 62 Written Documentation of training program
 - 17 Non-food contact surfaces, designed, constructed, maintained, installed, located.
 - 33 Location, installation, maintenance
 - 41 Disposed of in an approved manner, at approved frequency
 - 44 Floors; floor covering installed, constructed as required, good repair, clean
 - 51 Adequate lighting provided as required
-

Wolcott Bagel

747 Wolcott Rd, Wolcott

3/22/2021 Score **78** **Fail** Inspection Type: Quarterly

- 3 Potentially hazardous food meets temp. reqs. during storage, prep., display, service & transportation Automatic Failure
 - 13 Hand washing facilities provided Automatic FailureQ
 - 4 Adequate facilities to maintain product temperature, thermometers provided
 - 15 Good hygienic practices, smoking restricted
 - 16 Food contact surfaces designed, constructed, maintained, installed, located
 - 26 Food contact surfaces of utensils & equipment clean
 - 30 Hot and cold water under pressure, provided as required
 - 10 Food dispensing utensils properly stored
 - 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided
-

News Report by Date
Conducted 3/1/2021 to 3/31/2021

- 44 Floors;floor covering installed,constructed as required,good repair,clean
- 50 Dustless cleaning methods used, cleaning equipment properly stored.